



# Bayhead Products Corp.

Call: 1-800-bayhead  
or 603-742-3000



**Tilt Trucks - pg. 1 - 3**



**Self-Dumping Hoppers - pg. 4**



**Poly-Trucks - pg. 5 & 6**



**Boxes - pg. 9 - 14**



**Trays & Bins - pg. 15 -17**



**Barrels - pg. 18**



**Bulk Containers - pg. 19 - 20**



**Pallets - pg. 21 - 22**



**Pallet Containers - pg. 23 - 27**

**Custom  
Molding - pg. 29  
Terms - pg. 30**

Visit us online at: [www.bayheadproducts.com](http://www.bayheadproducts.com)

173 Crosby Rd, Dover, NH 03820-4356

# 1/3, 5/8 & 1.1 Cubic Yard TILT TRUCKS - Innovation & value



Smaller-size Tilt Trucks are able to navigate tight spaces and fit through standard doorways. All tilt truck styles include metal handles with the exception of the 5/8 UT & 1.1 UT models. The 1/3 CU-L, 5/8 UT & 1.1 UT models include a single swivel rear caster - all other trucks have two swivel casters each. The molded polyethylene bodies are available in a variety of colors for no extra cost. Standard hinged lids are available for all sizes - Please see details on page 3.

- 18 DIFFERENT STYLES, 6 SIZES TO CHOOSE FROM!
- Seamless bodies molded in polyethylene with heavy duty walls.
- Will not dent, chip, corrode or absorb moisture.
- Steel chassis is all-welded, superior to bolted frames.
- High-quality wheels, casters & hardware are used to ensure that overall wheel and caster capacity is greater than truck rated weight capacity.
- Unique nesting ability due to inset wheels allows for reduced shipping & storage costs, while also protecting walls and door frames from accidental wheel impact.
- Eight different colors available at no extra cost. Custom colors also available!

Model Number	Cubic Yard Capacity	Pound Capacity	Cu. Ft. Capacity	Gallon Capacity	Overall Dimensions	Wheel Type	Caster Type	Shipping Weight	Optional Lid/Weight
1/3 CU-L	1/3	275 lb.	9	67	48" x 26" x 30"	8" rubber on cast steel	1 - 4" medium duty	53 lb.	1/3-LID 12 lb.
1/3 CU-HD	1/3	1200 lb.	9	67	48" x 26" x 30"	8" rubber on cast steel	2 - 4" medium duty	104 lb.	1/3-LID 12 lb.
5/8 UT	5/8	300 lb.	16	123	55.5" x 26.5" x 36"	8" rubber on cast steel	1 - 3" general duty	65 lb.	5/8-LID 13 lb.
5/8 CU-L	5/8	600 lb.	16	123	55.5" x 26.5" x 36"	8" rubber on cast steel	2 - 3" general duty	70 lb.	5/8-LID 13 lb.
5/8 CU-S	5/8	1000 lb.	16	123	55.5" x 26.5" x 37.5"	10" rubber on steel	2 - 4" medium duty	89 lb.	5/8-LID 13 lb.
5/8 CU-HD	5/8	1500 lb.	16	123	55.5" x 26.5" x 37.5"	10" rubber on cast steel	2 - 4" medium duty	117 lb.	5/8-LID 13 lb.
1.1 UT	1.1	600 lb.	29	220	69" x 31.5" x 39.5"	10" rubber on steel	1 - 4" medium duty	85 lb.	1.1-LID 21 lb.
1.1 CU-L	1.1	900 lb.	29	220	69" x 31.5" x 39.5"	10" rubber on steel	2 - 4" medium duty	99 lb.	1.1-LID 21 lb.
1.1 CU-S	1.1	1400 lb.	29	220	69" x 31.5" x 39.5"	10" rubber on cast steel	2 - 4" medium duty	126 lb.	1.1-LID 21 lb.
1.1 CU-HD	1.1	2100 lb.	29	220	69" x 31.5" x 41.5"	12" rubber on cast steel	2 - 6" heavy duty	167 lb.	1.1-LID 21 lb.

## 1.7, 2.2 & 3.0 Cubic Yard TILT TRUCKS - Industry leaders!



1.7 UT

2.2 CU-HD with LID

3.0 CU-S

- Tilt Truck Options:**
- Hinged Lids
  - Locking casters
  - Tow bars and hooks
  - Custom hardware & features
  - Modified body or caster layouts

**(See Page 3 for additional options & information)**

For over thirty years, Bayhead's high-quality Tilt Trucks have led the industry with the highest weight capacities in a molded truck. With our 3-cubic yard unit available in two styles, Bayhead makes the largest volume capacity too! All three sizes of our large tilt trucks have molded wheel wells, allowing trucks to nest for shipping and helping to protect walls and doorways from impact. Heavy-duty molded bodies are supported by all-welded steel frames with high-quality wheels and casters. The polyethylene bodies are available in a variety of colors for no extra cost. Hinged lids are available for all sizes. Please see other options on page 3.

Model Number	Cubic Yard Capacity	Pound Capacity	Cu. Ft. Capacity	Gallon Capacity	Overall Dimensions	Wheel Type	Caster Type	Shipping Weight	Optional Lid/Weight
1.7 UT	1.7	1000 lb.	50	366	74" x 40" x 50.5"	10" rubber on steel	2 - 4" medium duty	165 lb.	1.7-LID 30 lb.
1.7 CU-S	1.7	1700 lb.	50	366	74" x 40" x 53.5"	12" rubber on cast steel	2 - 6" heavy duty	207 lb.	1.7-LID 30 lb.
1.7 CU-HD	1.7	2200 lb.	50	366	74" x 40" x 53.5"	12" rubber on cast steel	2 - 6" heavy duty	263 lb.	1.7-LID 30 lb.
2.2 UT	2.2	1200 lb.	59	441	74" x 51" x 52.25"	12" rubber on polymer	2 - 5" medium duty	193 lb.	2.2-LID 32 lb.
2.2 CU-S	2.2	2000 lb.	59	441	74" x 51" x 53.5"	12" rubber on cast steel	2 - 6" heavy duty	240 lb.	2.2-LID 32 lb.
2.2 CU-HD	2.2	2500 lb.	59	441	74" x 51" x 53.5"	12" rubber on cast steel	2 - 6" heavy duty	296 lb.	2.2-LID 32 lb.
3.0 CU-S	3.0	2500 lb.	78	585	81" x 56" x 56"	12" rubber on cast steel	2 - 6" heavy duty	298 lb.	3.0-LID 40 lb.
3.0 CU-HD	3.0	2800 lb.	78	585	81" x 56" x 56"	12" rubber on cast steel	2 - 6" heavy duty	350 lb.	3.0-LID 40 lb.

# Tilt Truck & Self-Dumping Hopper - OPTIONS


## Standard Hinged LIDS:

Convenient lids for all 6 sizes of trucks. Allows access from front or rear, or entire lid can be removed. Locking lids available.



## FORK TUBES:

Steel tubes are welded to the frame of the Standard and Heavy-Duty models for all but 1/3 cubic yard sizes to allow dumping with a rotating forklift.



Note - Fork Pockets also available to allow use with standard hydraulic dumpers.



## TOWBARS:

Allows multiple units to be pulled by a forklift or tugger. Hinged to store in upright position when not in use. For standard & heavy-duty Tilt Trucks and Self-Dumping Hoppers with casters only.

## Quality Casters & Wheels

We use thousands of wheels & casters on our carts each year. Our bulk buying power provides great prices, and we pass the savings on to you for our standard styles as shown below. Please note that our industry connections allow us to offer many other styles not shown - call with your requirements and we will find the right wheel or caster for your application.



## Wheels:


Model Number	Wheel Diameter	Tread Width	Load Capacity	Weight
WHD-8	8"	1.5"	650 lb.	5.9 lb
WLD-10	10"	2"	200 lb.	9.7 lb
WHD-10	10"	2"	950 lb.	13.8 lb
WGD-12	12"	2.75"	400 lb.	8.4 lb
WHD-12	12"	2.5"	950 lb.	18.4 lb



## Casters:

Model #	Wheel Diam.	Tread Width	Overall Height	Load Cap.	Tread Mat'l.	Wght.
GD-3	3"	1.25"	3.75"	275 lb.	rubber	1.55 lb
MD-4	4"	1.25"	5"	300 lb.	urethane	2 lb
HD-4	4"	2"	5.5"	700 lb.	phenolic	4.35 lb
MD-5	5"	1.25"	6.25"	300 lb.	urethane	2.35 lb
MHD-5	5"	2"	6.25"	375 lb.	polyolefin	2.85 lb
HD-6	6"	2"	7.5"	500 lb.	rubber	7.2 lb

# Self-Dumping Hoppers - Available in five sizes up to 3.0 cubic yard



SD-1.1-C upright



SD-1.1-C dumping

Our molded polyethylene Self-Dumping Hoppers are designed to allow safe and easy handling and dumping of heavy loads. Bins dump up to 40 degrees below horizontal with a simple pull of the handle. Made to work with a forklift, but optional 6" heavy-duty casters allow for easy manual maneuverability. Please note: bottom frame should always be secured to the fork lift prior to dumping.

Model Number	Cu. Yd. Capacity	Pound Capacity	Cu. Ft. Capacity	Gallon Capacity	Overall Dimension*	Height w/ Casters	Weight	Weight w/ Casters	Lid Number
SD-5/8	5/8	750 lb.	16	123	59" x 26" x 42"	49"	175 lb.	220 lb.	5/8-LID
SD-1.1	1.1	1000 lb.	29	220	71" x 31" x 46"	53.5"	210 lb.	258 lb.	1.1-LID
SD-1.7	1.7	1200 lb.	50	366	80" x 40" x 55"	62.5"	300 lb.	354 lb.	1.7-LID
SD-2.2	2.2	1500 lb.	59	441	80" x 51" x 55"	62.5"	331 lb.	386 lb.	2.2-LID
SD-3.0	3.0	1700 lb.	78	585	90" x 56" x 63"	70.5"	400 lb.	460 lb.	3.0-LID

\*Note - includes metal framework.

## Check us out against steel hoppers-

Plastic hoppers are:

- Lighter
- Quieter
- Safer (body has no sharp edges)
- Easier to handle
- Body won't rust or corrode
- Easily Cleaned
- All-welded steel frame
- Variety of body colors

Available Options:

- Hinged lids
- 6" casters
- Side support bars
- Stenciling
- Drains



SD-1.7-C

# Poly (Box) Trucks (see page 19 for Poly-Bins)

Bayhead Poly-Trucks are available in 19 sizes, molded in heavy-duty polyethylene. Molded vertical ribs in medium sizes provide superior rigidity & strength. Optional lids for many sizes help protect contents. Most trucks are available in a variety of colors for no extra cost.

Molded polyethylene bodies are secured to an all-welded angle-iron dolly by bolting through the bodies. 5" casters are welded in a corner pattern for sizes 10 through 80 bushel. Sizes 4 through 9 bushel use 3" casters. Note: Standard units are not leakproof unless requested when ordering.



UT-20  
with LID

UT-10

UT-8

Model Number	Bushel Cap.	Gallon Cap.	OD Top LxWxD	ID Top LxW	ID Bottom LxW	Overall Height	Pound Cap.	Cart Weight	Standard Lid	Lid Weight	Janitorial Lid
UT-4	4	30	32.75" x 21.25" x 15.75"	29.25" x 17.5"	24.75" x 15"	19.75"	400 lb.	24 lb.	PBL-4	9 lb.	N/A
UT-6	6	41	32.25" x 23.25" x 20"	29" x 20"	23.5" x 16"	24"	400 lb.	25 lb.	PBL-6	9 lb.	N/A
UT-7	7	51	37" x 24.5" x 19.75"	33.5" x 21.5"	28.5" x 17.25"	23.75"	400 lb.	38 lb.	PBL-7	10 lb.	N/A
UT-8	8	57	36.25" x 24.25" x 23"	32.25" x 20.5"	28.5" x 17"	27"	400 lb.	35 lb.	PBL-8	10 lb.	N/A
UT-9	9	66	41.5" x 29.5" x 19"	37" x 25"	33" x 21"	23"	600 lb.	42 lb.	N/A	(Very low truck height)	
UT-10	10	73	38.25" x 29.25" x 24.5"	34.25" x 25"	28" x 19.5"	31"	600 lb.	41 lb.	PBL-10	11 lb.	BLN-10
UT-12	12	84	38" x 28.25" x 27.75"	33.75" x 23.5"	30" x 20.25"	34.25"	600 lb.	45 lb.	PBL-12	11 lb.	BLN-12
UT-14	14	115	43.75" x 31.75" x 28.5"	39" x 27.5"	35.5" x 23.5"	35"	600 lb.	53 lb.	PBL-14	15 lb.	BLN-14
UT-15	15	120	58.5" x 29" x 25.5"	53.25" x 24"	48.5" x 19"	32"	800 lb.	61 lb.	N/A	(Long-sided truck)	
UT-16	16	125	45" x 31" x 29.5"	40.5" x 27"	36" x 23"	36"	800 lb.	57 lb.	PBL-16	15 lb.	BLN-16
UT-17	17	133	46" x 24.5" x 36"	42.5" x 22"	40" x 19.5"	43"	800 lb.	62 lb.	N/A	(Truck tall and narrow)	
UT-18	18	145	46.25" x 34" x 31"	42.25" x 29.5"	38" x 25.5"	37.75"	800 lb.	63 lb.	PBL-18	17 lb.	BLN-18
UT-20	20	151	46" x 34" x 32.5"	41.5" x 29.75"	37" x 25"	39"	800 lb.	68 lb.	PBL-20	17 lb.	BLN-20
UT-22	22	185	62" x 32" x 28"	58" x 28.5"	54" x 25.5"	33"	1000 lb.	90 lb.	N/A	(3" recess on bottom)	
UT-25	2	215	63.25" x 35.5" x 33.25"	58" x 30.5"	53" x 24"	39.75"	1000 lb.	95 lb.	N/A	N/A	N/A
UT-30*	30	315	71" x 43" x 34"	66" x 38"	58" x 31"	42"	1000 lb.	145 lb.	N/A	(Notch: 59" x 12")	
UT-40	40	320	71" x 47.5" x 30"	66" x 43"	58" x 36"	36.75"	1000 lb.	145 lb.	N/A	N/A	N/A
UT-50	50	445	84" x 50" x 30"	80" x 45.5"	76" x 42"	36.75"	1000 lb.	180 lb.	N/A	N/A	N/A
UT-80	80	750	102.5" x 46" x 44"	99.5" x 43"	95" x 40"	50.75"	1000 lb.	253 lb.	N/A	N/A	N/A

\*Note: UT-30 has a notch molded into one long side. See picture on opposite page.



UT-80

Note: Six casters standard on UT-80: four swivel and two rigid.

Not the right size?  
Give us a call - we  
can make a truck to  
your specifications!

# Poly-Trucks - Options

## LIDS:

Our **Standard Telescoping Lids** are available for sizes ranging from 4-bushel to 20-bushel (excluding 9, 15&17-bushel).

Lids may be hinged across the center to allow opening with lid in place.

**Janitorial Lids** are hinged across the center and also include a molded "well" for supplies. The handle also holds rolls of paper towels or rags. The lid may be totally removed for full access to the bin. Available for 10 to 20 bushel truck sizes (excluding 15 & 17 bushel). Please note that janitorial lids available in gray only.



UT-18 & PBL-18  
"Standard" Lid



UT-16 & BLN-16  
"Janitorial" Lid

## HEAVY-DUTY FRAMES:

Made for extreme load conditions. All-welded steel frames encompass the molded body to provide 1200 to 2000 pound weight capacities. Frames are available for sizes 12-bushel to 80-bushel. 6" heavy-duty removable casters are mounted in a square pattern. Steel frame extends up under the rim to provide superior durability. Watertight.



HD-18

## ELEVATED FRAMES:

Elevated frames are offered on our 4-bushel to 10-bushel units. The tubular steel frames raise the poly-body about 18" off the floor to provide easy access without bending. Great for laundries, libraries, stock rooms, etc.

## CUSTOM STYLES AND SIZES:

We specialize in offering the exact size and style truck that will work best for your application. We build our molds in-house, allowing you to incorporate the features you require in a time frame that works for YOU. Please contact us for further information.



EL-8



UT-30

## STENCILING:

Lettering from one up to all four sides.

## DRAINS

Threaded fittings welded to the wall or bottom of the bins. Accepts plugs, spigots or other plumbing.



Close-up of 1" male threaded fitting

## CASTER PADS

Pads allow casters to be quickly removed and replaced if damaged or worn out.



## PLATFORMS

Floating platform is supported by covered springs to keep contents within easy reach.



## FORK POCKETS

Steel pockets are welded to special tubular steel frame to allow unit to be dumped using standard lifters/dumpers. Note: Fork Tubes are required for use with rotating forklifts.



# Bulk Trucks



## Laundry Trucks:

High sides contain a large volume of items, while the wide, low front opening provides easy access. Molded seamless polyethylene body is mounted on an all-welded steel dolly with 6" heavy duty casters.

Options include drop doors, molded plastic shelves, floor brakes or locking casters, solid or open "ceiling" and stenciling.



Model Number	O.D. LxWxH	I.D. LxWxH	Opening from Floor	Cubic Foot Capacity	Shipping Weight
LC-4030	40"x30"x64"	39.5"x29.5"x57"	33"	38.5	125 lb.
LC-4830	48"x30"x64"	47.5"x29.5"x57"	33"	46.25	140 lb.

## Chip Carts:

The low-profile Chip Carts are offered in two sizes. Designed to catch metal chips under machinery, the carts are useful in a number of different applications. One-piece molded polyethylene body will not rust or corrode and is impervious to oils. The bodies are supported by all-welded frames with heavy-duty wheels & casters. CC-10 handle is removable for shipping.



Model Number	O.D. LxWxH	I.D. LxWxH	Casters	Ship Weight
CC-10	46 x28 x25	41.5x25.5x18	4 - 4" phenolic	85 lb.
1/3 CU-HD	48 x26 x30	44 x22 x25	2 - 8", 2 - 4"	104 lb.

## Rolling Parts Bins:

Molded plastic bins lift off from steel dollies. 3" casters are standard - other sizes available on request.




JCP-1-C

Model Number	O.D. Top	I.D. Bottom	Depth	Features	Weight
CRT-23-C	23.5x20.5	19x16	14	tapered*	27 lb.
JCP-1-C	26x22	25x21	17	tapered	26 lb.
TC-20-C	27.5x27.5	23x23	19.75	tapered	32 lb.
SS-19-C	21x14	18.5x12	19	straight	23 lb.
GY-ST-C	28x22	26x20	16	straight*	37 lb.
LM-24-C	24x22	22x20	26	straight	40 lb.
LM-29-C	23"x23"	21"x21"	29	straight*	39 lb.
VT-20-C	32.5x23	30.5x21	20	straight*	41 lb.

\*Includes Lid



## Other Carts & Trucks



### Rolling Cases:

Heavy-duty seamless polyethylene bodies and lids. Able to protect contents against abuse. Polyethylene bodies are mounted on all-welded steel dollies. Options include custom hardware, hinges, latches & stenciling. NOTE: Outside dimension height includes lids.

Model Number	Cu. Ft. Capacity	O.D. Top	I.D. Bottom	Shipping Weight
SJ-1-C	19	48x32x37	46x30x23.5	80 lb.
HC-1-C	13.5	30x30x37	29x29x30	57 lb.
HC-2-C	10	41x21.5x28	40.5x21x21	64 lb.

### Large Capacity Box Trucks:

Rolling carts built to haul really big loads. Molded bins are heavy-duty polyethylene, mounted on all-welded steel dolly with 5" casters mounted in the corners. PT-BIN2-C has an optional lid available.



WG-53-C  
(note: PT-BIN units have straight sidewalls)

Model Number	Gallon Capacity	O.D. Top	I.D. Bottom	Weight Capacity	Shipping Weight
PT-BIN1-C	105	48x32x28	45x27x20	800 lb.	86 lb.
PT-BIN2-C	270	52x40x44	48x36x36	800 lb.	129 lb.
WG-53-C	360	54x54x44	46x46x37	800 lb.	126 lb.
PT-BIN3-C	585	68x48x56	63x43x48	1000 lb.	195 lb.

### Round Rolling Trucks:

The round inside surface makes these trucks easy to load & unload. Molded plastic bodies are permanently secured to all-welded steel dollies by bolting through plastic bins. Options include heavy-duty frames, stainless steel frames, drains & stenciling. NOTE: Requires addition of optional neoprene washers to be leakproof.



Model Number	Gallon Cap.	O.D. Dia.	I.D. Dia. top/bottom	Depth	Casters	Ship Weight
RT-20	30	20"	19.5"/19"	24"	4 - 3"	20 lb.
RT-25	49	25.5"	24"/23.5"	29.5"	4 - 3"	35 lb.
RT-26	59	26.5"	24"/23"	32.5"	4 - 3"	35 lb.
RT-31	78.5	32"	30"/28.5"	24"	4 - 5"	25 lb.
RT-35	142	37"	34.5"/34"	33"	4 - 5"	43 lb.
RT-38	206	42"	38"/35"	42"	4 - 5"	60 lb.
RT-52	358	55"	52.5"/52"	39"	4 - 5"	120 lb.
RT-60	440	63"	60"/59"	36"	4 - 5"	159 lb.

# Nesting Boxes

## “Traditional” shapes:

Rotationally molded in a standard rectangular shape in a wide range of sizes. The boxes are designed to nest inside one-another for compact storage and have smooth, featureless walls & bottoms. Rims vary as noted below. Please note that standard color is gray - boxes are available in other colors for minimum quantities at no extra cost. Custom sizes also available - call for details!



Model Number	O.D. Top LxW	I.D. Top LxW	I.D. Bottom LxW	Depth	Nesting Percentage	Shipping Weight	Type of Rim
DP-4	15" x 8.25"	13.5" x 7"	12.5" x 6"	4"	90%	1.5 lb.	rolled
NC-6	31" x 18.25"	29" x 16"	28" x 15"	6"	90%	8 lb.	rolled
PTI-1	17" x 11"	16.5" x 10.75"	14.25" x 9"	10"	90%	3 lb.	return
PTI-2	23" x 15"	22.5" x 14.5"	19.5" x 11.5"	12"	90%	4 lb.	return
PE-28	28.5" x 16.5"	28" x 16"	24" x 12.5"	10.5"	90%	8 lb.	return
SNC-15	18" x 16"	17.5" x 14.5"	15" x 13"	15"	60%	7 lb.	rolled
NE-8	15.5" x 11.75"	13.75" x 10.25"	12.5" x 9"	9"	80%	3 lb.	rolled
NE-9	15.25" x 15.5"	13.5" x 13.75"	12.25" x 12.5"	9"	80%	4 lb.	rolled
NE-10	20.75" x 15.5"	18.5" x 13.75"	17.75" x 12.5"	9"	80%	6 lb.	rolled
NE-11	21.25" x 11.5"	20" x 10.25"	18.5" x 9"	10.25"	80%	4.5 lb.	rolled
NE-13	21.25" x 13.5"	20" x 12.25"	18.5" x 11"	10.25"	80%	5 lb.	rolled
CE-15	20.75" x 14.75"	18.5" x 12.5"	17.25" x 11.25"	12"	80%	5 lb.	rolled
NE-17	21.25" x 17.5"	20" x 16.25"	18.5" x 15"	10.25"	75%	7 lb.	rolled
PB-2	25" x 18"	21.5" x 14.5"	18" x 11"	13"	85%	9 lb.	rolled
PB-3	27" x 20"	23.5" x 16.5"	20" x 13"	15"	85%	11 lb.	rolled
NB-21	23.5" x 18"	20" x 15"	18" x 13"	21"	90%	9 lb.	rolled
NB-15	28" x 21"	24" x 17"	23.5" x 16.5"	15.5"	80%	12 lb.	rolled
PB-4	33" x 21"	29" x 18"	24.75" x 15"	15.75"	85%	12 lb.	rolled
PB-6	32" x 23"	28" x 19"	24" x 16"	20"	85%	13 lb.	rolled
PB-7	37" x 24.5"	32" x 21"	28.5" x 17.25"	19.75"	85%	19 lb.	rolled
PB-8	36" x 24"	32" x 21"	28.5" x 17"	23"	85%	21 lb.	rolled

# Nesting Boxes

## “Unique” shapes:

Rotationally molded nesting boxes with special shapes or molded features that provide additional benefits as noted below. Please note that standard color is generally gray - boxes are available in other colors for minimum quantities at no extra cost. Custom sizes also available - call for details!



Model Number	O.D. Top L x W	I.D. Top L x W	I.D. Bottom L x W	Depth	Nesting Percentage	Shipping Weight	Special Features
BC-3616	38.5" x 18"	36.5" x 16"	36" x 15.5"	9"	50%	9 lb.	Huge capacity, molded ribs, optional lid.
BC-4721	48.5" x 23"	46" x 20"	45" x 19.5"	13.5"	50%	20 lb.	Huge capacity, molded ribs, optional lid.
KW-1	54.5" x 11.5"	52" x 9.5"	51.25" x 8"	8"	80%	10 lb.	Extra long box, optional lid available.
KW-2	64.5" x 12"	62" x 9"	61" x 8"	8"	80%	12 lb.	Out longest box, optional lid available.
JCP-1	26" x 22"	25.75" x 21.75"	24.75" x 20.75"	17"	80%	11 lb.	Large capacity, hand holes, no rim.
JCP-2	26" x 22"	24" x 20"	21.75" x 17.75"	17"	90%	12 lb.	Large capacity, molded rim adds rigidity
TC-20	27.5" x 27.5"	25.5" x 25.5"	22.75" x 22.75"	19.75"	90%	17 lb.	Square shape, large capacity, rolled rim.
CR-11	22" x 22"	19" x 19"	17" x 16.5"	11"	80%	7 lb.	Square shape, molded nesting stops.
AT-6	24" x 24"	23" x 23"	21" x 21"	6"	90%	6 lb.	Square shape, return rim.
T-20	21.5" x 21.5"	21.25" x 21.25"	20" x 18.5"	20"	75%	10 lb.	Square shape, ribs on 2 sides, no rim.
WB-25	27.5" x 20.5"	25.75" x 19"	25" x 18.25"	7.5"	50%	8 lb.	Molded nesting stops, textured bottom.
DD-24	24.5" x 18"	23" x 16.5"	22.5" x 16"	5.5"	80%	7 lb.	Molded ribs on bottom for rigidity.
MB-16	21.5" x 10"	19.75" x 8.25"	18.5" x 7.5"	16"	60%	7 lb.	Textured outside surface, rolled rim.
PE-21	21.75" x 8.75"	19.5" x 6.75"	17.5" x 4.5"	10"	90%	5 lb.	Strong taper for full nesting, rolled rim.

# Stacking Boxes - Reverse Taper

These rotationally molded stacking boxes are designed with a reverse taper - the bottom is slightly larger than the top. This allows the boxes to stack securely without sliding or falling inside one-another. It also helps to transfer weight around the entire rim, allowing for far greater load capacity. Stock color is gray for most models - colors available for minimum quantities at no extra cost. Custom sizes also available - call for details!




Model Number	O.D. Top LxW	I.D. Top LxW	I.D. Bottom LxW	Depth	Shipping Weight
HT-3	11.5" x 10"	9.75" x 8.25"	9.5" x 8.5"	3.75"	.5 lb.
HT-6	11.5" x 10"	9.75" x 8.25"	9.5" x 8.5"	7"	2.5 lb.
TF-14	14" x 14"	12.25" x 12.25"	12.5" x 12.5"	13.75"	5 lb.
PE-1717	17" x 17"	15" x 15"	14" x 14"	14.25"	9 lb.
JB-19	20" x 20"	18.5" x 18.5"	18.75" x 18.75"	4.5"	3.5 lb.
DC-1	25.5" x 18.5"	24" x 17"	24.5" x 17.5"	6"	6 lb.
DC-2	30" x 24"	28" x 22"	28.25" x 22.25"	8"	9 lb.
DC-3	25" x 22"	22.75" x 19.75"	23" x 20"	13"	9 lb.
PE-SST	28.5" x 18"	26" x 15.5"	26" x 15.5"	12"	10 lb.
GEST-1	22.75" x 21.5"	21.5" x 20.5"	22" x 21"	18.25"	13 lb.
GEST-2	26.5" x 22"	24.5" x 20.5"	25.5" x 21.5"	16"	13 lb.
LM-24	24" x 22"	21.75" x 19.75"	22" x 20"	26"	21 lb.

The TF-14 is designed to stack with standard size "milk crate" type containers.

## Boxes with Removable Lids

Our rotationally molded boxes include telescoping lids in a broad range of sizes. All models stack with lids in place. Nesting (tapered) models are noted below. Stock color is gray - other colors available for minimum quantities at no extra cost. Custom sizes also available - call for details!

### Straight-Sided with lid:



Model Nmbr	O.D. Top L x W	I.D. Top L x W	I.D. Bot. L x W	Depth	Shipping Weight
HP-3*	8.5" x 3.5"	8.25" x 3.25"	8.25" x 3.25"	3"	.25 lb.
BS-61*	61.25" x 5.25"	60.75" x 4.5"	60.5" x 4.25"	4.75"	7 lb.
BS-74*	74" x 5"	73.5" x 4.5"	73.25" x 4.25"	4.75"	8 lb.
CC-8	24" x 11"	22.5" x 9.25"	22.5" x 9.25"	8"	6 lb.
PE-1616	16" x 16"	14" x 14"	13.5" x 13.5"	14"	8 lb.
PE-2518*	25" x 18.5"	24.5" x 18"	24.5" x 18"	16.5"	17 lb.
NSP-10	31" x 16.25"	29.75" x 14.5"	29.5" x 14.5"	12"	15 lb.
GY-ST	28" x 22"	26" x 20"	25.5" x 19.5"	16"	14 lb.
PTI-GB	23" x 23"	21" x 21"	20" x 20"	14"	14 lb.
VT-20	32.5" x 23.5"	30.5" x 21.5"	30" x 21"	20"	24 lb.
SB-17*	27.75" x 27.75"	26.75" x 26.75"	27.5" x 27.5"	17"	23 lb.
LM-29	23.25" x 23.25"	21" x 21"	20.5" x 20.5"	29.25"	24 lb.


\*Straight-sided -- No rim



### Tapered with Lid:

Model Number	O.D. Top L x W	I.D. Top L x W	I.D. Bot. L x W	Depth	Shipping Weight
KW-1L	54.5" x 11.5"	52" x 9.5"	51.25" x 8"	8"	14 lb.
KW-2L	64.5" x 12"	62" x 9"	61" x 8"	8"	18 lb.
KW-3	42" x 15"	40" x 13"	39" x 11.5"	8"	10 lb.
KW-4	57" x 18"	55" x 16"	53.5" x 14"	7.75"	18 lb.
KW-5*	64.5" x 10"	62.25" x 8"	62" x 7.75"	4.5"	12 lb.
WLG-57*	57" x 22"	55" x 20"	54.5" x 19.5"	7"	24 lb.
BC-3616L	38.5" x 18"	36.5" x 16"	36" x 16"	9"	15 lb.
BC-4721L	48.5" x 23"	46" x 20"	45" x 19.5"	13.5"	29 lb.
CRT-2320	23.5" x 20.5"	21" x 18"	19" x 16"	14"	12 lb.
FM-1L	24" x 16.75"	22" x 15"	20.5" x 13"	8"	10 lb.
PE-21L	21.75" x 8.5"	19.5" x 6.75"	17.5" x 4.5"	10"	7 lb.

\*Very slight taper limits nesting.



# Stack & Nest Boxes

## Rotationally molded Stack & Nest:

Extra strong and durable to withstand years of use and abuse. Boxes stack on molded ledges or nest when turned 180 degrees. Standard color is gray, but other colors are available for special orders.



Model Number	O.D. Top L x W	I.D. Top L x W	I.D. Bot. L x W	Depth	Shipping Weight
DJ-1	22" x 16.25"	19.75" x 14"	19" x 13.5"	6.5"	3.5 lb.
GB-1	20.5" x 10"	19" x 8.5"	16" x 7.5"	7.75"	5 lb.
FM-1	24" x 16.75"	22" x 15"	20.5" x 13"	8"	7 lb.
PES-22	22" x 16.5"	20" x 14.25"	18" x 12.5"	12.75"	7 lb.
FM-2	28.5" x 24"	25" x 21.5"	24.5" x 21"	8.25"	10 lb.



NOTE: FM-1 now available with optional lid.

DJ-1

## Injection-molded Stack & Nest:

Injection-molded Stack & Nest totes offer a variety of sizes and styles. Boxes stack with or without optional lids.

NOTE: WRH-8 is a vented model, appropriate for food or other applications. No lid available.



Model Number	O.D. Top LxWxH	I.D. Top LxWxH	Weight
A-180	18" x 11" x 6"	16" x 10" x 6"	2.25 lb.
A-185	18" x 11" x 9"	16" x 10" x 9"	2.5 lb.
A-190	19.5" x 15.5" x 10"	17" x 14.5" x 10"	4 lb.
A-195	19.5" x 15.5" x 13"	17" x 14.5" x 13"	5 lb.
A-200	19.5" x 13.5" x 8"	18" x 12.25" x 8"	4 lb.
A-225	23.5" x 19.5" x 10"	21" x 18" x 10"	7 lb.
A-230	23.5" x 19.5" x 13"	21" x 18" x 13"	8.5 lb.
A-240	23.5" x 15.5" x 12"	21" x 14.5" x 12"	6 lb.
A-300	29.5" x 19.5" x 15"	26.5" x 18.5" x 15"	11.5 lb.
WRH-8	24" x 20" x 8"	21.5" x 17.5" x 7.8"	8 lb.

## Injection-molded Attached Lid Containers:

Attached Lid Containers are very popular bins for product movement both in-house and between facilities. Lids are permanently attached, allowing boxes to stack when closed or nest when open.



Model Number	O.D. Top LxWxH	I.D. Top LxWxH	Cubic Ft. Volume	Weight
M-2012-7	19.6" x 11.8" x 7"	17.5" x 9.9" x 6.3"	.53	3.26 lb.
M-2012-8	19.9" x 11.4" x 7.5"	17.6" x 10.6" x 6.4"	.65	3.48 lb.
M-2115-9	21.9" x 15.3" x 9.7"	20.1" x 14.3" x 8.2"	1.3	5.42 lb.
M-2115-12	21.9" x 15.2" x 12.8"	19.7" x 14" x 11"	1.7	6.23 lb.
M-2115-17	21.9" x 15.2" x 17.2"	20.1" x 14.3" x 15.8"	2.3	7.87 lb.
M-2213-12	22.4" x 13" x 13"	20" x 11.3" x 11.8"	1.4	6 lb.
M-2420-12	23.8" x 19.2" x 12.5"	22.3" x 18.1" x 11"	2.4	7.66 lb.
M-2515-14	24.5" x 14.9" x 13.8"	22.5" x 13.9" x 12.3"	2.20	7 lb.
M-2717-12	27.2" x 16.6" x 12.5"	25.1" x 15.6" x 11"	2.5	8.11 lb.
M-2818-13	27.6" x 18.3" x 13.5"	25.1" x 16.3" x 11.74"	2.6	11 lb.

## Other Boxes

### Straight-Sided with Rim:

Available in 10 sizes, our rotationally molded boxes feature substantial rims for extra rigidity. Useful for open-top tanks, or as rugged containers. Standard color is white - other colors also available for minimum quantities.



Model Number	O.D. L x W x H	I.D. L x W	Gallon Capacity	Shipping Weight
SS-21*	9" x 9" x 21"	8" x 8"	5	4.5 lb.
SS-12	12" x 12" x 12"	11" x 11"	7	3 lb.
SS-14	15" x 15" x 12.5"	11.5" x 11.5"	7.5	3 lb.
SS-18	12" x 12" x 18"	11" x 11"	9	6 lb.
SS-10	26.5" x 14.5" x 10.5"	24" x 12"	13.2	5 lb.
SS-25*	15" x 15" x 25.5"	12" x 12"	15	9 lb.
DT-8	23" x 22" x 8.5"	21" x 20"	16	8 lb.
SS-19	21" x 14" x 19"	18.5" x 12"	18	10 lb.
DT-9	24.5" x 22.5" x 9"	23" x 21"	18.5	8.5 lb.
HH-19	27" x 21" x 18.5"	24" x 19"	34.5	17 lb.

\*Includes molded lid.

### Injection Molding Straight-Walled Stacking:

These modular shipping, storage & work-in-process containers will maximize space usage. Different sizes stack together, allowing full assemblies to be palletized. Features molded handles and optional lids. Solid sidewalls in gray color.



Model Number	O.D. L x W x H	I.D. L x W x H	Shipping Weight
RSO-1207-5	12" x 7.4" x 5"	9.4" x 5.5" x 4.3"	1.4 lb.
RSO-1215-5	12" x 15" x 5"	9.2" x 12.9" x 4.3"	2 lb.
RSO-1215-7	12" x 15" x 7.5"	9.2" x 12.9" x 6.8"	3 lb.
RSO-2415-5	24" x 15" x 5"	21.2" x 12.9" x 4.3"	4 lb.
RSO-2415-7	24" x 15" x 7.5"	21.2" x 12.9" x 6.8"	4.5 lb.
RSO-2415-9	24" x 15" x 9.5"	21.5" x 13" x 8.8"	5.2 lb.
RSO-2422-7	24" x 22" x 7.5"	20.6" x 20.2" x 6.8"	7 lb.
RSO-2422-11	24" x 22" x 11.5"	20.6" x 20.2" x 10.8"	8.2 lb.
RSO-2422-14	24" x 22.5" x 14.5"	20.6" x 20.2" x 13.8"	9.3 lb.

### Injection Molding Collapsible Containers:



Designed to fold down when empty to save space. Return ratio of 4:1. Sides securely snap into place when in use. Optional attached lids for all units. Card holders available.

Model Number	O.D. L x W x H	I.D. L x W x H	Shipping Weight
RC-1	15.5" x 11" x 7"	13.9" x 9.7" x 6.25"	3 lb.
RC-1.5	15.5" x 11" x 13.1"	13.6" x 9.7" x 12.1"	4.9 lb.
RC-2	21.9" x 15.5" x 7"	20.3" x 14.25" x 6.25"	4.3 lb.
RC-3	21.9" x 15.5" x 10.5"	20.3" x 14.25" x 9.75"	5.4 lb.
RC-5	21.9" x 15.5" x 14"	20.1" x 14.25" x 13.2"	7 lb.
RC-6	32" x 14.75" x 10.5"	30.5" x 13.25" x 9.75"	8.7 lb.
RC-2422	23.8" x 22.3" x 11"	22" x 20.8" x 10.25"	9 lb.
RC-2415	24" x 15" x 14.7"	22.5" x 13.6" x 14"	6.8 lb.

### Fabricated Polyethylene & Fibre Boxes:

A Bayhead (as Spaulding Fibre) specialty for over 90 years, our fabricated boxes are available in either heat-resistant fibre or sheetstock polyethylene. Riveted construction and metal hardware ensure long product life. All units are custom-made to your exact size and requirements - call for details.




Heavy-duty

Intermediate-duty

# Trays and Bins

## Rotationally Molded Trays:

Our long-lasting trays are perfect for extreme industrial applications that compromise injected or thermoformed trays. Stock color is gray, though other colors are available when ordered in minimum quantities. Most models are featureless as shown, with straight sidewalls and no rims. (Exceptions including rim are PW-15, JB-19, & LG-1) NOTE: SUBTRACT .5" FOR INTERIOR DIMENSIONS UNLESS NOTED ELSEWHERE.



Model Number	O.D. L x W x H	Weight
USM-1	15" x 10.75" x 1"	1 lb.
PW-15*	15" x 15" x 1.75"	2 lb.
PW-17**	17" x 13" x 2"	2.5 lb.
NHBB-2	19.5" x 15.25" x 2.5"	3 lb.
PE21-L	22" x 9" x 1.5"	2.5 lb.
GMT	21.5" x 17" x 1.5"	2.5 lb.
T-2317	23" x 17" x 2.25"	3 lb.
T-2417	23.75" x 17" x 2.25"	3 lb.
FM1-L	25" x 17" x 2"	3 lb.
JB-19	20" x 20" x 4.5"	3.5 lb.
S2PE-L	21" x 21" x 2"	3.5 lb.
LG-1	29.5" x 29.5" x 2"	7 lb.
PBL-6	33.5" x 24.5" x 2"	6 lb.
BC-36	39" x 18.75" x 1.5"	5 lb.
PBL-7	38" x 26" x 2.5"	8 lb.
TT-2437	37" x 24" x 4"	8 lb.
HT-40	39" x 24.5" x 6"	11 lb.
BC-47	44.25" x 23.5" x 1.5"	9 lb.
PBL-8	37.5" x 25" x 2.5"	9 lb.
PBL-10	38.5" x 27.5" x 2.5"	10 lb.
PBL-20	47" x 36" x 2"	15 lb.
WT-53	53" x 33" x 3" (ID<1")	17 lb.
KWT-1	55" x 12" x 1.5"	4 lb.
KWT-2	64.5" x 12.5" x 1.5"	5 lb.
PT-LID	53" x 41" x 2"	17 lb.
BT-48	48" x 48" x 2"	17 lb.
BT-52	52.75" x 80" x 2"	27 lb.

\*PW-15 - **I.D.** is 11.5" x 11.5"

\*\*PW-17 **O.D.** is 18" x 15"

## Injection-Molded Parts Bins:

Bins stack on top one-another and have sloped front for easy access to contents. Bins may be mounted on racks or rails using molded-in hanger lips. Optional dividers fit securely into molded slots. Colors include blue, yellow, red, green, ivory & black for most models. Q-970, Q-975 & Q-976 are available in red, yellow and blue colors only. Other sizes available - please call for information.



Model Number	O.D. LxWxH	I.D. LxWxH	Divider	Carton Qty
Q-210	5.25"x4"x3"	4.75"x3.25"x2.75"	DUS-210	24
Q-220	7.25"x4"x3"	6.75"x3.25"x2.75"	DUS-220	24
Q-230	10.75"x5.5"x5"	10.25"x4.25"x4.75"	DUS-230	12
Q-235	10.75"x11"x5"	10.25"x10"x4.75"	DUS-235	6
Q-239	10.75"x8.25"x7"	10"x6.5"x6.75"	DUS-239	6
Q-240	14.75"x8.25"x7"	14"x6.5"x6.75"	DUS-240	12
Q-250	14.75"x16.5"x7"	14"x14.75"x6.75"	DUS-250	6
Q-265	18"x8.25"x9"	17"x6.75"x8.25"	DUS-265	6
Q-270	18"x16"x11"	17"x14.75"x10.25"	DUS-270	3
Q-952	24"x11"x7"	22.5"x10"x6.75"	DUS-952	6
Q-955	24"x18"x12"	22.5"x16.5"x11"	DUS-955	6
Q-970	29.75"x8"x7"	28.25"x6.75"x6.5"	N/A	6
Q-975	29.75"x18"x12"	28.25"x16.5"x11"	N/A	1
Q-976	29.75"x16.5"x15"	28.25"x16.5"x14"	N/A	1



# Other Containers

## Round Stacking Containers:

Unique molded round containers come with telescoping covers to protect contents and allow stacking. Most sizes also have round indents protruding into the base, and corresponding round protrusions on the cover. Each indent is approximately 1/2" tall. Several containers have flat bases and lids, others have tapered sides. These units are noted under the "Indent" column.

Model Number	I.D. Diam.	Depth	Indent Diameter	Weight
TUB-1	10"	7"	none - no lid	2.5 lb.
RPW-010	10"	10"	none - flat	2 lb.
RPW-901	10.25"	6.75"	none - flat	2.5 lb.
RPW-209	10.5"	5"	5.75"	2.5 lb.
RPW-915	11" to 9"	8.5"	none-taper	2.5 lb.
RPW-812	13"	7"	8"	3 lb.
RPW-513	15"	7.25"	5"	3.5 lb.
RPW-172	17"	2"	none- flat	3 lb.
RPW-980	17"	9.25"	8"	3.5 lb.
RPW-559	17" to 18"	6.5"	10" tapered	4 lb.
RPW-202	19.5"	2"	none - flat	4.5 lb.
RPW-469	20.75"	3.5"	17"	5 lb.
RPW-479	24"	3"	none - flat	7 lb.
RPW-982	25.5"	4.5"	23"	7 lb.
RPW-262	26"	2"	none - flat	7 lb.
RPW-840	33.75"	4.75"	17.5"	10 lb.
RPW-783	34.5"	3"	12.5"	10 lb.
RPW-983	34.25"	2"	29"	10 lb.
RPW-839	35.5"	3.5"	14.5"	10 lb.
RPW-816	36"	3"	26"	10 lb.
RPW-372	36.5"	2"	none - flat	10 lb.
RPW-570	42"	5"	none - flat	23 lb.



## Parts Trays:

Bayhead's thermoformed Parts Trays have proven to be adaptable to many small parts assembly operations. Molded from high-impact plastic, they are durable and easily cleaned. Black color is standard. Bench Assembly ("BA") trays are designed to form a semicircle around work stations. Stacking boxes are available for certain sizes of the compartment trays - call for details.



Model Number	O.D. L x W x H	Cavity Size	# of Cavities
BA-1	12.5" x 8.5" x 3"	6.5" x 9.5"	1
BA-2	12.5" x 8.5" x 3"	6.5" x 4.5"	2
BA-3	12.5" x 8.5" x 3"	6.5" x 2.5"	3
BA-4	12.5" x 8.5" x 3"	3" x 4.5"	4
BA-6	12.5" x 8.5" x 3"	3" x 2.5"	6
SD-10	23" x 14" x 2"	11" x 2.5"	10
SD-12	17" x 11" x 2.5"	3.5" x 2.75"	12
SD-20	18" x 11.75" x 2.5"	2.75" x 2.5"	16
ABV	14.5" x 9" x 2"	7.5" x 1.1"	8
B15R	14.5" x 9" x 2"	1.5" x 1.5"	15
C15S	14.5" x 9" x 2"	2" x 2" x 1.5"	15
D6S	14.5" x 9" x 2"	4" x 3.5" x 1.5"	6
E45R	14.5" x 9" x 1"	1" x 1"	45



## Other Products

**Air Flow Sani-Trays:** Injection-molded trays are available with either vented or solid bottom surface. Trays are used in applications requiring ventilation of contents. Designed to stack securely, and may be moved in stacks using optional dollies.



Model Number	O.D. L x W x H	I.D. L x W x H	Weight
BB-8	30.5" x 16.25" x 3.25"	29.5" x 15" x 1.5"	4 lb.
BB-9	30.5" x 16.25" x 4.5"	29.5" x 15" x 3"	4.5 lb.
BB-10	30.5" x 16.25" x 2.5"	29.5" x 15" x 1.5"	4 lb.
BB-1024-5	23.25" x 9" x 5"	22.75" x 8.75" x 4.75"	3.5 lb.
BB-1630-5	30.5" x 16.25" x 5.5"	29.5" x 15" x 4"	5.5 lb.
BB-2738-2	38" x 27" x 2"	37" x 26" x 1.5"	8.5 lb.

## Products Modified for the Food Industry:

Bayhead manufactures a number of products used in the food industry. Our products are color-coded to correspond with unique industry requirements. Some examples are shown below with the ingredient bins, boxes, barrels and dollies. Other popular color-coded items used in the food industry include our tilt trucks, poly-trucks, pallet containers and self-dumping hoppers.

### Ingredient Bins:

Available in a variety of colors with matching lids. Molded plastic bin is mounted on an all-welded steel dolly with 3" removable casters. Overall size is 29" x 13" x 28.5" tall including casters. 2.8 cubic foot capacity. Call for other sizes or styles.




MM-49 barrel with threaded spigot in MD-24 dolly



Multi-colored JCP-1 nesting containers



AH-33 & MM-45 barrels in matching color MD-20 & MD-24 molded dollies



**REMCO**  
PRODUCTS

Bayhead is an authorized dealer for the REMCO line of color-coded food, safety & industrial products. Items include a wide array of plastic color-coded shovels, scoops, scrapers, tubs, brushes & squeegees. Please contact us for more information.



# Barrels & Dollies

## Industrial Grade Molded Barrels:

Rotationally molded barrels are built to hold up to severe industrial applications. Heavy-duty walls and rims are built to absorb impact, helping to prevent cracking common to most injected barrels. Standard color is gray, though other colors are available for minimum orders. Optional lids as shown.



### Straight-Sided Barrels

Model Number	Gallon Capacity	O.D. at Rim	I.D. Bottom	Depth	Wgt	Lid
NT-4	4	14"	10.5"	11.5"	3 lb.	N/A
GR-4	4.75	10.5"	8"	20"	4 lb.	PW-209
RT-7	7.5	15"	13"	14.5"	8 lb.	PW-513
MM-10	10	15.5"	12.5"	22"	8 lb.	N/A
MM-13	13	16.5"	14"	19"	8 lb.	PW-980
MM-27	27	19.5"	15.5"	32.5"	17 lb.	PW-202
MM-30	30	20"	19"	24"	18 lb.	PW-469
MM-45	45	25.5"	23.5"	26.75"	18 lb.	PW-262
MM-49	49	25.5"	23.5"	29.5"	20 lb.	PW-262
MM-59	59	26.5"	23"	32.5"	27 lb.	N/A
MM-70	70	26"	24"	36"	23 lb.	PW-262
BT-90	90	26"	24"	48"	37 lb.	PW-262

### Tapered Barrels - allows nesting

Model Number	Gallon Capacity	O.D. at Rim	I.D. Bottom	Depth	Wgt	Lid
ATX-30	30	17.5"	15"	35.5"	10 lb.	included
AH-33	33	22"	18"	27"	24 lb.	included
CP-40	40	26"	18"	29"	24 lb.	PW-262
PT-50	50	24"	20"	31"	26 lb.	PW-479
PT-55	55	26"	19"	40"	28 lb.	PW-262
S2PE	42	20" x 20"	17" x 17"	31.5"	12 lb.	S2PE-L

NOTE: S2PE is a square unit typically used as a garbage can liner.

## Barrel & Drum Dollies:

Molded polyethylene (MD) or fabricated steel (FD) dollies hold drums or barrels in upright position and provide easy mobility. Plastic pans can help catch drips. Fabricated steel dollies have an open-base design. PLEASE NOTE: Steel dollies can be made in any size - call for details.

Model Number	O.D. Diameter	Casters- # / size	Pound Capacity	Weight
MD-16	16.5"	4 / 3"	300 lb.	13 lb.
MD-17	17.5"	4 / 3"	350 lb.	15 lb.
MD-20	20"	4 / 3"	500 lb.	20 lb.
MD-22	22"	4 / 3"	500 lb.	18 lb.
MD-24	25"	5 / 4"	500 lb.	24 lb.
FD-26	26.5"	4 / 4"	600 lb.	22 lb.
MD-29	28.5"	5 / 4"	700 lb.	23 lb.
MD-35	34.75"	6 / 4"	700 lb.	38 lb.
FD-36	36"	5 / 4"	800 lb.	30 lb.



Note - MD-24 has a 15.5" recessed ring molded in bottom of pan to allow safe transport of smaller barrels as well as barrels up to 24" in diameter.

# Bulk Containers

## Poly-Bins: (See page 5 for Poly-Trucks)

**HOLD EVERYTHING!** With sizes ranging from 2-bushel up to the enormous 80-bushel, our rugged poly-bins can contain a great variety of items. The seamless polyethylene walls are thicker than average, giving the bins extra long life under the most severe conditions. Optional telescoping lids for many sizes help protect the contents. Bins nest without lids to economize on space when empty.



NOTE: Sizes 10-bushel through 20 bushel (excluding 15 & 17-bushel) have molded vertical ribs. All other sizes have smooth sidewalls.

Options include fittings, drains, lids, stenciling and frames.

Available in a variety of colors, though gray is our stock color. Minimum quantities may be required for other colors if not in stock.

Model Number	Bushel Cap.	Gallon Cap.	O.D. Top L x W x H	I.D. Top L x W	I.D. Bottom L x W	Weight	Lid
PB-2	2	15	25" x 18" x 13"	22" x 16"	18" x 11"	9 lb.	N/A
PB-3	3	23	27" x 20" x 15"	23.5" x 17.5"	20" x 13"	11 lb.	N/A
PB-4	4	30	32.75" x 21.25" x 15.75"	29.25" x 17.5"	24.75" x 15"	12 lb.	PBL-4
PB-6	6	41	32.25" x 23.25" x 20"	29" x 20"	23.5" x 16"	13 lb.	PBL-6
PB-7	7	51	37" x 24.5" x 19.75"	33.5" x 21.5"	28.5" x 17.25"	22 lb.	PBL-7
PB-8	8	57	36.25" x 24.25" x 23"	32.25" x 20.5"	28.5" x 17"	23 lb.	PBL-8
PB-9	9	66	41.5" x 29.5" x 19"	37" x 25"	33" x 21"	25 lb.	N/A
PB-10	10	73	38.25" x 29.25" x 24.5"	34.25" x 25"	28" x 21.5"	25 lb.	PBL-10
PB-12	12	84	38" x 28.25" x 27.75"	33.75" x 23.5"	30" x 20.25"	29 lb.	PBL-12
PB-14	14	115	43.75" x 31.75" x 28.5"	39" x 27.5"	35.5" x 23.5"	35 lb.	PBL-14
PB-15	15	120	58.5" x 29" x 25.5"	53.25" x 24"	48.5" x 19"	39 lb.	N/A
PB-16	16	125	45" x 31" x 29.5"	40.5" x 27"	36" x 23"	38 lb.	PBL-16
PB-17	17	133	46" x 24.5" x 36"	42.5" x 22"	40" x 19.5"	40 lb.	N/A
PB-18	18	145	46.25" x 34" x 31"	42.25" x 29.5"	38" x 25.5"	41 lb.	PBL-18
PB-20	20	151	46" x 34" x 32.5"	41.5" x 29.75"	37" x 25"	46 lb.	PBL-20
PB-22	22	185	62" x 32" x 28"	58" x 28.5"	54" x 25.5"	63 lb.	N/A
PB-25	25	215	63.5" x 35.5" x 33.25"	58" x 30.5"	53" x 24"	65 lb.	N/A
PB-30*	30	315	71" x 43" x 34"	66" x 38"	58" x 31"	195 lb.	N/A
PB-40	40	320	71" x 47.5" x 30"	66" x 43"	58" x 36"	109 lb.	N/A
PB-50	50	445	84" x 50" x 30"	80" x 45.5"	76" x 42"	130 lb.	N/A
PB-80	80	750	102.5" x 46" x 44"	99.5" x 43"	95" x 40"	175 lb.	N/A

\*PB-30 has a molded notch 59" x 12" on one side. (See page 6 for a picture)

**WG-53:** Tapered container can nest 75%.

Capacity - 360 gallons Weight - 90 pounds

O.D. LxWxH - 54" x 54" x 37"

I.D. Bottom - 49.5" x 49.5" x 36.5"




**PT-BIN:** Straight-sided container, available in three sizes. (Lid available for PT-BIN2 only.)



Model Number	Gallon Capacity	O.D. LxWxH	I.D. LxWxH	Shipping Weight
PT-BIN1	105	48" x 32" x 20.5"	45" x 27" x 20"	50 lb.
PT-BIN2	270	52" x 40" x 36.5"	48" x 36" x 36"	93 lb.
PT-BIN3	585	68" x 48" x 48"	63" x 43" x 47.5"	148 lb.

# Bulk Containers

## Containers with Lids: (See page 8 for Rolling Cases)



SJ-1



HC-1



HC-2

Molded plastic lids are included with these three bulk containers. The SJ-1 lid is domed to allow coverage of contents even when overfilled. (SJ-1 bin height without lid is 24.5".) Ribbing adds extra strength to the lid and sidewalls. The "HC" bulk containers offer straight-sided walls and telescoping lids. Space is maximized by elimination of rim. HC-2 has metal binding on the rim along the long sides for extra strength. The HC-1 is able to nest 50% with lid removed. Options include drop handles, latches, hinged lids, stenciling and drains.

Model Number	Gallon Capacity	Cubic Ft. Cap.	O.D. Top L x W x H	I.D. Bottom L x W x H	Shipping Weight
SJ-1	140	19	48" x 32" x 30"*	46" x 30" x 23.5"	60 lb.
HC-1	104	13.5	30" x 30" x 30"	29" x 29" x 29.5"	35 lb.
HC-2	75	10	41" x 21.5" x 21.5"	40.5" x 21" x 21"	34 lb.

\*Height including lid. Bin height without lid is 24.5".

## Round Bins:

Heavy-duty walls combined with round shape provide superior strength to take brutal conditions! Excellent as large seamless tanks. Wide openings on all containers give easy access. Polyethylene walls are smooth and impervious to most chemicals.



GS-60

Model Number	Gallon Cap.	Cubic Ft. Cap.	I.D. Diameter	Depth	Weight
GS-36	62	8.3	36"	14"	17 lb.
GS-31	78.5	10.25	30"	24"	14 lb.
GS-35	142	18.5	34.5"	33"	28 lb.
GS-38	206	26.75	38"	43.5"	43 lb.
GS-52	358	48	52.5"	39"	85 lb.
GS-60	440	57.25	60"	36"	110 lb.

Note: Available as rolling trucks - see page 8 for details. Outside dimensions can also be found on page 8.

# Plastic Pallets - Rotationally Molded


Rotationally molded pallets are used in applications calling for odd sizes or with very punishing conditions. All but part number WP-48 are double-walled construction to provide maximum durability. Molded interior supports help transfer loads between top and bottom pallet surfaces.

Regarding Odd Sizes & Weight Capacities: We specialize in providing custom-sized units made to your specifications. With our in-house mold-making ability, we offer fast turnaround and low tooling prices. All pallets can be made with thicker walls to allow greater weight capacity - call for details.

Model Number	L x W x H	Fork Tunnel Size (WxH)	Capacity	Weight
CH-42	42" x 42" x 7.5"	30" x 4.5"	1500 lb.	45 lb.
CH-48	48" x 42" x 7.5"	30" x 4.5"	1500 lb.	50 lb.
SUP-51	51" x 51" x 8.5"	2 @ 13" x 4.5"	1500 lb.	70 lb.
WP-48	48" x 48" x 8"	2 @ 9" x 4.5"	1000 lb.	50 lb.
QP-48	48" x 60" x 8"	2 @ 11" x 4.5"	1500 lb.	60 lb.
HMC-30	30" x 36" x 9.25"	2 @ 8.5" x 4"	1000 lb.	30 lb.
QP-64	64" x 38" x 12.5"	2 @ 12.5" x 4.25"	1500 lb.	50 lb.
QP-101	101" x 50" x 14"	2 @ 6.5" x 4.5"	1500 lb.	100 lb.



CH-42 & CH-48 (Available with rim as shown or flat-top)



SUP-51 (1.5" tall rim gives top surface I.D. of 49.5" x 49.5")



WP-48 with DRL-4845 drum pallet option.


(12 gallon overspill capacity)



QP-48



HMC-30 roll pallet



QP-101 (QP-64 similar design) - made to hold rolls. 10' long fabric roll shown above, supported on ends by optional "wings".

# Plastic Pallets - Injection-Molded

Bayhead has been a dealer of quality injection molded pallets for many years. We offer what we feel are the most durable, best valued pallets available. All pallets (except LD-2440) have four-way fork & pallet jack entry. Additional details are shown below - please call with questions.

Model Number	O.D. LxWxH	Static Cap.	Dynamic Cap.	Ship Weight	Other Features
EXP1210-LD	47.25"x 39.4"x 4.75"	10000 lb.	1000 lb.	16.5 lb.	Gray, nesting
EXP1210-MD	47.25"x 39.4"x 4.75"	12000 lb.	1500 lb.	16.5 lb.	Black, nesting
EXP1210-HD	47.25"x 39.4"x 4.75"	14000 lb.	2200 lb.	16.5 lb.	Blue, nesting
LD-2440	24" x 40" x 6"	20000 lb.	4500 lb.	33 lb.	2-way entry
PF-3636	36" x 36" x 6"	20000 lb.	5000 lb.	44 lb.	4-way entry
PF-3737	37" x 37" x 6"	20000 lb.	5000 lb.	46 lb.	4-way entry
S-4840	48" x 40" x 6"	20000 lb.	4500 lb.	55 lb.	4-way entry
RX-4840	48" x 40" x 6"	20000 lb.	4500 lb.	60 lb.	Thicker walls
DRL-4845	48.25" x 45.25" x 7"	20000 lb.	4500 lb.	58 lb.	Can hold drums



**LD-2440** Display pallet



**PF-3636** (PF-3737 similar) Beverage & Display pallet

NOTE: EXP (export) pallets are designed mainly for shipping purposes. Three versions in three different materials are offered, with the LD (light duty - not shown) version made for one-way export shipping only.




**EXP1210-HD** Heavy-duty shipping pallet can be reused as needed




**EXP1210-MD** Medium-duty pallet made for shipping and reuse



**RX-4840** Heavier version of the standard S-4840. The picture above shows optional steel bars to allow heavy-duty use on unsupported racking



**S-4840** Our most popular pallet. Made from 100% recycled plastic. Options include anti-slip grommets & .25" raised rim.



**DRL-4845** Rim can be modified to hold 4 standard drums. NOTE: Not for racking use

# Stacking Pallet Containers

## HON-40

### 4-way fork entry

Compact size can hold heavy loads. Optional rails can be added to the feet to allow use on roller conveyor systems. (Rails shown on bottom unit at right.)

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Shipping Weight
HON-40	5.5	41	40"x 28"x 18"	35"x 23"x 12"	600 lb.	30 lb.



## SKA-1 & SKA-2

### 2-way fork entry

Stacking ledges allow safe, high stacking even when fully loaded. Seamless polyethylene walls are easy to clean and hold up under heavy use. Lids available for both sizes.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Shipping Weight
SKA-1	12	91.5	40"x 39"x 20"	36"x 35"x 16"	600 lb.	35 lb.
SKA-2	21	157	40"x 40"x 30"	36"x 36"x 24"	1000 lb.	59 lb.



\*Lid part number SKA-LID, 12 lb.

## GG-Series

### 4-way fork entry

Available in three heights, the GG series of pallet containers can stack interchangeably. Molded "rails" allow for use on conveyors and racking systems. Rails also allow use with rotating forklift for dumping or access. Optional plastic lids for all sizes.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
GG-24	24	145	47"x42"x24"	43"x38"x20"	800 lb.	64 lb.
GG-36	35	240	47"x42"x36"	43"x38"x32"	1000 lb.	80 lb.
GG-48	45	335	47"x42"x48"	43"x38"x44"	1200 lb.	94 lb.



\*Lid part number GG-LID, 15 lb.

## AT-7040

### 4-way fork entry

Enormous capacity! Stacks securely on the molded stacking ledges. Vertical ribs add rigidity to sidewalls. Optional domed lid sheds water for outdoor use. NOTE: Can not stack containers with lids in place.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
AT-7040	60	475	73"x43"x42"	70"x40"x36"	1500 lb.	195 lb.



\*Lid part number AT-LID, 45 lb.



# Nesting Pallet Containers

## SNP-Series

### 2-way fork entry



Available in three heights with the same footprint, units nest and stack interchangeably. (Nests when empty, stacks 2-high on optional lids.) Multipurpose bins are ideal for applications ranging from textiles to food handling. Options include lids, drain holes, custom colors and stenciling.

Model Number	Cu. Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Wght.
SNP-24	20	145	43"x 43"x 24"	41"x 41"x 20"	600 lb.	64 lb.
SNP-33	29	215	43"x 43"x 33"	41"x 41"x 29"	1000 lb.	75 lb.
SNP-44	39	290	43"x 43"x 44"	41"x 41"x 40"	1200 lb.	93 lb.

\*Lid part number - SNP-LID, 19 lb.

## SNP-5042

### 2-way fork entry



Lid is included! These containers nest 45% without lid in place, or stack on top of molded lids. Excellent for return shipping to replace disposable options. Stacks two high. (Call for higher stacking.)

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Shipping Weight
SNP-5042	30	215	50"x 42"x 33"	47"x 39"x 28"	1000 lb.	116 lb.

\*Note: Lid is included

## KP-50

### 2-way fork entry



Smooth interior with optional heavy-duty lid make this pallet container popular in the food industry. Molded nesting stops help prevent jamming when nested. Optional lid allows units to stack two high. (Call for higher stacking.)

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. Top LxWxH	Weight Cap.	Shipping Weight
KP-50	28	210	50"x 40"x 33"	46"x 37"x 29"	1000 lb.	80 lb.

\*Lid part number - KP-LID, 30 lb.

## IND-Series

### 4-way fork entry



Durable unit is able to nest 50%, with nesting stops to prevent jamming. Makes efficient use of standard truck trailer sizes. Optional lid allows two-high stacking. (Call if higher stacking is required.)

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
IND-1	38	286	52"x 42"x 42"	48"x 38"x 38"	1200 lb.	84 lb.
IND-2	29.5	221	52"x 42"x 32"	48"x 38"x 28"	1000 lb.	72 lb.

\*Lid part number - IND-LID, 23 lb.

# Large Capacity Pallet Containers

## WG-53-C 4-way fork entry

Unique container has a flat bottom and sits inside a removable pallet for easy mobility. Nestable when removed from base. (Pallet details are found on page 21, part #WP-48.)

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
WG-53-P	48	360	54"x 54"x 42"	49"x 49"x 37"	1000 lb.	140 lb.



## KC-52 4-way fork entry

Large capacity container may be dumped using a rotating forklift. Molded rails also allow use on racking and conveyor systems. Nesting stops help prevent jamming when units are nested together.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
KC-52	58	436	57"x 41"x 53"	53"x 37"x 48"	1500 lb.	140 lb.



## AB-65 4-way fork entry

Extremely large nesting container is nearly 6 feet tall and has vertical ribs to help provide rigidity to the sidewalls. Nests nearly 90% to save space when empty. Molded stops keep units from jamming when nested. 4-way fork entry provides excellent maneuverability for such a large container.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
AB-65	87	650	75"x 45"x 65"	70"x 40"x 60"	1500 lb.	217 lb.



Two AB-65 nested

## LMM-1 2-way fork entry

Our largest capacity container - over six feet tall. Straight-sided walls maximize capacity while vertical ribbing helps to minimize bowing. Optional 2-part lid offers protection to the contents. Seamless molded construction for long life.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
LMM-1	92.5	692	60"x 46"x 72"	56"x 42"x 68"	1500 lb.	240 lb.



**\*Lid part number LMM-LID, 54 lb.**

## Unique Style Pallet Containers



### MBF-1 & 2, TEX-24, DSC-1 2-way entry

Notched front on the MBF series provides easy entry. The nestable DSC-1 has double notches & fork entry on the short (20") sides. TEX-24 stacks on reverse-flared feet.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
MBF-1	4	31	28"x 20"x 18"	25"x 17"x 14"	300 lb.	20 lb.
MBF-2	21.5	161	41"x 37"x 32"	37"x 32"x 28"	1000 lb.	70 lb.
TEX-24	5	39	32"x 24"x 18"	29"x 21"x 14"	600 lb.	25 lb.
DSC-1	4	31	28"x 21"x 20"	24"x 17"x 18"	400 lb.	20 lb.



### DWP-11 & DWP-37 2-way fork entry

Double-walled with a smooth, flat bottom interior. Individual styles stack on top of each other (providing 9" of usable space for stacked DWP-11 units). DWP-37 has optional drain tube to allow wet contents to be drained if required. Both units have optional lids available.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
DWP-11	6.5	48	45"x 45"x 11"	42"x 42"x 6"	600 lb.	50 lb.
DWP-37*	25.6	192	49"x 41"x 37"	45"x 37"x 31"	1200 lb.	171 lb.

\*Lid part number DWP37-LID, 22 lb.

Lid part number DWP11-LID, 15 lb.



### MMPC-1 & MMPC-2 2-way fork entry

Low-walled containers are used extensively in the textile industry. Also useful for jobs ranging from chemical containment to dry goods movement. 16" wide fork tunnels.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
MMPC-1	10	100	61"x 51"x 15"	58"x 48"x 11"	1000 lb.	65 lb.
MMPC-2	11.5	110	65"x 51"x 15"	62"x 48"x 11"	1000 lb.	75 lb.



### CC-70 4-way fork entry

Extra long pallet container. Pallet has molded flared feet for positive stacking. Perfect for bulky items.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
CC-70	17	128	72"x27"x20"	70"x25"x17"	600 lb.	60 lb.



### Low-profile with lids 2-way fork entry

Compact size with many possible uses. All three units include lids which allow stacking. Nests without lids.

Model Number	Cubic Ft. Cap.	Gallon Cap.	O.D. LxWxH	Depth	Weight Cap.	Ship Weight
SP-5	1.7	12.5	30"x 18"x 10"	5.5"	500 lb.	20 lb.
EW-4	1.6	12	33.5"x 17"x 8.5"	4.5"	300 lb.	15 lb.
EW-4EX	2.4	18	33.5"x 17"x 11.5"	7.5"	300 lb.	18 lb.

# Pallet Container Modifications



GG-48 modified with drop door and casters

We can modify our pallet containers to match your unique needs. Modifications include heavier wall thickness for added weight capacity, mounting casters on the containers, metal frames, drop sides, sight windows, fabricated lids, enlargement or shrinkage of standard sizes and any other suggestions you might come up with!




KC-52 modified with caster platform and steel handles

## Custom Pallet Containers

Many of our pallet container designs originate from our customers. With our in-house mold-fabricating ability, we are able to make the part you need quickly and efficiently to your specifications. An example of a custom container is shown to the right - our part number CM-52. It was designed as a large parts hopper with a sliding bottom gate. Overall size is 48" x 40" x 52" tall. Inside top dimensions are 45.5" x 37.5" x 48".



CM-52 with slide gate partially open



CM-52 from inside - hopper gate partially open. Hopper opening measures 20" x 16".

## Injected Collapsible "Bulk Boxes"

Popular collapsible pallet containers are used in many industries for shipping and storing products. We offer an excellent selection, with hinged sidewalls to allow collapsing for space savings when empty. Optional hinged side gates provide easy access to contents, even when full or stacked. Four-way fork entry. Other options and sizes available - please call for details.



Model Number	Cubic Ft. Cap.	O.D. LxWxH	I.D. LxWxH	Weight Cap.	Ship Weight
KD3230-25	8.4	32"x 30"x 25"	29"x 27"x 18"	2000 lb.	68 lb.
KD3230-34	12.5	32"x 30"x 34"	29"x 27"x 27"	2000 lb.	85 lb.
GP4048-34	28	48"x 40"x 34"	45"x 37"x 28"	2000 lb.	137 lb.
GP4048-36	30	48"x 40"x 36"	45"x 37"x 30"	2000 lb.	144 lb.
GP4048-43	38	48"x 40"x 43"	45"x 37"x 37"	2000 lb.	165 lb.
KD4845-25	19	48"x 45"x 25"	44"x 41"x 18"	1500 lb.	114 lb.
KD4845-34	29	48"x 45"x 34"	44"x 41"x 27"	1500 lb.	126 lb.
HD4845-44*	40	48"x 45"x 44"	44"x 41"x 38"	1500 lb.	164 lb.
HDR5648-34	37	58"x 50"x 34"	55"x 47"x 27"	2000 lb.	201 lb.
HDR6548-42	55	64"x 48"x 42"	61"x 45"x 35"	2000 lb.	232 lb.
HDR7848-34	52	78"x 48"x 34"	74"x 45"x 27"	1500 lb.	230 lb.

\*Vented Bottom - Slipsheet required for solid bottom.



**NOTE: Many other sizes and configurations available - Please call with your requirements.**

# Custom Fabricated Carts

Bayhead has a long history with fabricated carts, stretching back to the early part of the last century when we were a division of Spaulding Fibre. Carts back then were fabricated in steel and fibre material. We still custom-fabricate all-welded steel carts, and also work with plastic, aluminum and other materials including the fibre that started it all nearly a century ago! Please call for additional information or to discuss your custom cart requirements.



Fabricated steel cart made for GE operations



Fabricated plastic carts made for Pratt & Whitney parts handling

---

## Steel Cradle Trucks - “V”-Trucks



Long load being lowered onto two HDV carts.



Loaded HDV carts in transit.

“V”-Trucks are useful for moving long or bulky items within a facility. With weight capacities up to 4000 pounds, they are perfect for manually transporting bundles of steel or other extremely heavy items. Trucks can be paired off for long items and to provide even greater weight capacities. All-welded steel construction ensures a long life under severe conditions.

Model Number	Weight Capacity	Dimensions LxWxH	Caster Type	Ship Weight
LDX*	800 lb.	23.5”x 23”x 31”	4” rubber	48 lb.
MDV*	2200 lb.	24.5”x 22”x 31”	4” steel	68 lb.
HDV	4000 lb.	33”x 27”x 33.5”	5” steel	113 lb.

\*Can ship by UPS

# Custom Rotational Molding

## Custom Shapes:

The rotational molding process provides a very cost-effective option for molding parts in a wide variety of shapes and sizes. We currently mold items as small as 3”x6” to the enormous cart shown below used in the paper industry. Our molds are made in-house, ensuring fast turn-around and low tooling costs.



## Custom Tanks:

Wide variety of shapes, from 1 gallon up to 800 gallons.



## Custom Carts & Trucks:



We can modify our standard bodies or provide all-new sizes or shapes to match your needs. 1/3-OD Lawn Cart shown, the result of a customer request.


## Custom Machine Guards:

Belt guards, enclosures, housings and other shapes and forms. Inserts and other features may be molded into the parts for fasteners, to provide strength or other benefits.



## “Broke” Carts (used in the paper industry):

With lengths up to 10’, the Bayhead Broke Cart line can be made to fit individual applications. The cart shown below was designed to be towed with other carts, lifted using a forklift and dumped using an overhead crane. Let us know your needs.



Broke Cart in dump position

## Custom Fabricating

Fabrication of fibre boxes and carts was the method our predecessor Spaulding Fibre utilized when starting business over 90 years ago. As we became Bayhead Products in the early '70's, fabrication continued to play an important role in our success.



Custom fabricated aluminum cart with plastic trays

Along with our standard metal frames used for our carts & trucks, we also fabricate all varieties of carts and trucks, boxes, bins and other items in a variety of shapes and sizes. Materials range from sheetmetal, aluminum, stainless steel & steel to varieties of plastics, fibre, wood and other materials.



Custom fabricated polyethylene box



Fabricating a welded sheetmetal mold

## Custom Vacuum Forming

Over thirty years of experience with a wide variety of shapes and sizes.

WE OFFER:

- Small to large production runs
- In-house tooling capabilities
- Full design services
- Fast Lead Times
- Extensive secondary operations
- Variety of materials including ABS, polycarbonate, acrylic, PVC, polyethylene & styrene.



## Terms & Conditions

- All dimensions listed are nominal - molding tolerances allow for some variation between stated and actual dimensions. Please note standard molding tolerances of  $\pm .015$  per inch with a bowing tolerance of  $\pm .25$ " per foot.
- Pictures portraying the various products are true at time of printing. Bayhead reserves the right to alter products or specifications as required.
- We ship our products throughout the U.S., Canada & Mexico. Shipping estimates will be furnished on request, but are not guaranteed. Most products ship FOB Dover, NH, 03820.
- Minimum quantities may apply for requested colors or non-stock items.
- Custom tooling requires 50% due with order; balance due upon completion of tooling.
- We accept Visa & Mastercard credit cards, or can set up an open account for most applicants.
- Buyers should inspect all items for shipping damage before accepting delivery. If loss or damage is evident, make a note on the freight bill and file a claim immediately with the carrier. We can assist if you require any help.

**Need Help? Call us toll-free at 1-800-BAYHEAD.**  
**Or, visit our website at: [www.bayheadproducts.com](http://www.bayheadproducts.com)**



**FROM: Bayhead Products Corp.  
173 Crosby Rd.  
Dover, NH 03820**

**Bayhead Products - Forming plastic using rotational molding, vacuum-forming and fabrication.  
Experience you can rely on!**

**Call us toll-free- 1-800-bayhead  
(229-4323)**

### **Looking for a Special Deal?**

**Check out the "Yard Sale" section of our web site, [www.bayheadproducts.com](http://www.bayheadproducts.com)! We offer reduced prices on products with cosmetic defects, returns, over-runs and odd lots. Product offerings change often, so check back regularly.**



**Bayhead  
Products Corp.**

**Phone - 603-742-3000  
Fax- 603-743-4701**

**TO:**

**PRSRRT STD  
U.S. Postage  
PAID  
Dover, NH  
Permit No. 265**